



## Quickdrill T8

Quickdrill T8 is the high performance version for those who need maximum automation and productivity.

### Advantages



**FULLY AUTOMATIC**  
in tool measurement,  
dressing and drilling  
cycle management



**HIGH PRECISION**  
head positioning  
 $\pm 0.15\text{mm}$



**CONSISTENCY  
OVER TIME**  
thanks to linear  
encoders



**SIMPLICITY OF USE**  
to use, no expert  
operator required  
thanks to the DCS  
system




**HIGH DRILLING SPEED**  
due to DCS system  
and vibration free




**FLEXIBILITY**  
integration into a  
Quickline with  
Quickmill or QuickEdge

## Technical features




### The automatic tool changer

The automatic tool changer with 8 + 8 positions, mounted on the drilling heads, ensures the operation is completed in just 8 seconds. The tool change is simultaneous to the positioning for the next hole, to the point that, depending on the distance between the holes, this time can even be reduced to zero.



## Innovative tool management system

T8 is equipped with a touch panel 12", with a USB jack for importing and exporting programs. This allows you to select, before the start of a cycle, the loading / unloading mode of the glass and to activate the DCS (Dynamic Control System) function: the innovative tool management system which, thanks to a sophisticated control of the forces, allows, in certain situations, to manage automatically the feed rate in function of the cutting capacity of the tool.




## High precision

Highly precise electric spindle with an ISO 30 cone with pressurization system. Rotational speed up to 10,000 rpm.



## Programs

The automatic dressing system allows the restoration of the sharpness of the tools in a short time in a completely automatic way.



## Automatic measuring system

Automatic measuring system of the tools, which can be operated manually or automatically after a predetermined number of drilled holes, compensates for tool wear automatically.



## Full range

Neptun offers a full range of high quality tools, designed to ensure maximum performance. All tools have a standard connection 1/2 gas and are available in lengths of 75 mm and 95 mm.

## Optional


Data entry with bar code, available in both wireless and wired versions.



It allows Neptun full access for assistance and updates, not only to the operator panel but also to PLCs, drivers, motors and sensors.



# Quickdrill T8




Tool trolley with 20 tanged cones included.


# Quickdrill T8



Additional license for remote programming.

# Quickdrill T8





## Dati tecnici

Model	Dim. mm	KW	Min. glass dimension mm	Max. glass dimension mm	Glass thickness mm	Speed m/min	Weight Kg	Diameter mm	Accuracy mm
Quickdrill T8 160-30	7171 x 2992 x 2200	8	420 x 240	1600 x 3000	3÷30	1÷25	2320	4-80	±0,15
Quickdrill T8 280-45	10322 x 4050 x 2500	8	420 x 240	2800 x 4500	3÷30	1÷25	3200	4-80	±0,15